

EAST Search History

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L1	2997	bsc with (connect\$4 or wir\$3) with (base station)	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/04/24 08:59
L2	2923	bsc with (connect\$4 or (hard\$wir\$3)) with (base station)	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/04/24 09:00
L5	2923	bsc with connect\$4 with (base station)	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/04/24 09:01
L6	3	(bsc or (base station controller)) with (connect\$4 same (hard\$wir\$3)) with (base station)	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/04/24 09:02
S1	1	10/558,838	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/01/30 23:08
S2	9	("20020005124" "20020141390" "20020173326" "6477150").PN.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/01/31 10:49
S3	92	("5164985" "5387905" "5436893" "5450405" "5479477" "5491835" "5511232" "5524273" "5530914" "5530915" "5530916" "5530918" "5535426" "5537684" "5542108" "5555447" "5564071" "5612959" "5850611" "5901142" "5912882" "5914958" "6005848" "6081601" "6118771" "6160544" "6301255" "H001894").PN. OR ("6477150").URPN.	US-PGPUB; USPAT; USOCR	ADJ	ON	2008/01/31 11:25

S4	86	S3 and (@rlad<"20030717" or @ad<"20030717")	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/01/31 13:46
S5	20514	((SIP or (session initiation protocol)) or (IP Session Initiation Protocol))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/01/31 12:06
S6	1199	((voice near3 message) with data with (convert\$3 or chang\$3))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/01/31 12:06
S7	4194	(push-to-talk or push\$to \$talk or (push to talk))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/01/31 12:07
S8	27941	(VoIP or (voice near3 (IP or (internet protocol))))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/01/31 12:09
S9	10832	(push-to-talk or ptt or p2t or push\$to\$talk or (push to talk))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/01/31 12:09
S10	700	(push-to-talk or ptt or p2t or push\$to\$talk or (push to talk)) with (over near3 cellular)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/01/31 13:07
S11	1	S5 S6 S7 S8 S9 S10	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2008/01/31 13:47
S12	26	S8 S4	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2008/01/31 12:14
S13	0	S6 S12	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2008/01/31 12:14

S14	0	S10 S4	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2008/01/31 13:20
S15	4	S5 S6 S7 S8 S9	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2008/01/31 12:14
S16	86	S4 and (@rlad<"20030717" or @ad<"20030717")	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/01/31 13:19
S17	0	S15 and (@rlad<"20030717" or @ad<"20030717")	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/01/31 13:26
S18	2	("7292872").PN.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/01/31 12:18
S19	2	S18	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/01/31 12:17
S20	74	S5 S6	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2008/01/31 13:29
S21	715	(push-to-talk or ptt or p2t or push\$to\$talk or (push to talk)) same (over near3 cellular)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/01/31 13:15
S22	2	S10 S20	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2008/01/31 13:18
S23	5	S9 S20	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2008/01/31 13:08

S24	969	(push-to-talk or ptt or p2t or push\$to\$talk or (push to talk)) and (over near3 cellular)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/01/31 13:23
S25	3	S24 S20	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2008/01/31 13:18
S26	1	S24 S4	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2008/01/31 13:20
S27	0	(push-to-talk or ptt or p2t or push\$to\$talk or (push to talk)) nea3 ((over near3 cellular) or poc)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/01/31 13:24
S28	729	(push-to-talk or ptt or p2t or push\$to\$talk or (push to talk)) with ((over near3 cellular) or poc)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/01/31 13:25
S29	324	S5 S28	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2008/01/31 13:25
S30	11	S29 and (@rlad< "20030717" or @ad< "20030717")	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/01/31 13:26
S31	0	S30 S6	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2008/01/31 13:29
S32	8	S30 S8	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2008/01/31 13:45
S33	895	Megaco protocol	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2008/01/31 13:46

S34	241	Megaco protocol	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/01/31 13:46
S35	149	S34 and (@rlad<"20030717" or @ad<"20030717")	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/01/31 13:46
S36	0	S5 S6 S35	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2008/01/31 13:47
S37	111	S5 S35	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2008/01/31 13:48
S38	104	S37 and (voice messag\$3)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2008/01/31 13:48
S39	2	S9 S38	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2008/01/31 13:48
S40	16	09/835,867 09/903,871 10/160,272	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/01/31 15:19
S41	15	(US-20020173326-\$ or US- 20020141390-\$ or US- 20040190468-\$ or US- 20030231639-\$ or US- 20030223381-\$ or US- 20030083086-\$ or US- 20020150092-\$ or US- 20020150091-\$).did. or (US- 6477150-\$ or US-7283516-\$ or US-7280502-\$ or US- 7231223-\$ or US-7016347-\$ or US-6970926-\$ or US- 7058042-\$).did.	US-PGPUB; USPAT	ADJ	ON	2008/01/31 16:02
S42	7	S41 and compress\$3	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/01/31 16:03

S43	5	S41 and (compress\$3 with voice)	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/01/31 16:21
S44	0	S41 and (compress\$3 near3 voice)	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/01/31 16:04
S45	10	S41 and Multimedia	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/01/31 16:21
S46	0	S41 and (Multimedia near4 presence)	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/01/31 16:22
S47	0	S41 and ((Multimedia Messaging) or MMS)	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/01/31 16:23
S48	1	S4 and ((Multimedia Messaging) or MMS)	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/01/31 16:24
S49	3	S4 and ((Multi\$media near3 Messag\$3) or MMS)	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/01/31 16:25
S50	4995	(370/312,338).CCLS.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/01/31 19:24
S51	117833	("455").CLAS.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/01/31 19:26

S52	92	("5164985" "5387905" "5436893" "5450405" "5479477" "5491835" "5511232" "5524273" "5530914" "5530915" "5530916" "5530918" "5535426" "5537684" "5542108" "5555447" "5564071" "5612959" "5850611" "5901142" "5912882" "5914958" "6005848" "6081601" "6118771" "6160544" "6301255" "H001894").PN. OR ("6477150").URPN.	US-PGPUB; USPAT; USOCR	ADJ	ON	2008/01/31 19:26
S53	86	S52 and (@rlad< "20030717" or @ad< "20030717")	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/01/31 19:26
S54	86	S53 and (@rlad< "20030717" or @ad< "20030717")	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/01/31 19:26
S55	10	S50 and S54	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/01/31 19:27
S56	42	S51 and S54	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/01/31 19:27
S57	2	"7170863".pn.	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/04/22 17:19
S58	7098	(delay\$3 with (reduc\$5 or eliminat\$4 or diminish\$3) with connect\$4)	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/04/22 18:32

S59	101	("5164985" "5387905" "5436893" "5450405" "5479477" "5491835" "5511232" "5524273" "5530914" "5530915" "5530916" "5530918" "5535426" "5537684" "5542108" "5555447" "5564071" "5612959" "5850611" "5901142" "5912882" "5914958" "6005848" "6081601" "6118771" "6160544" "6301255" "H001894").PN. OR ("6477150").URPN.	US-PGPUB; USPAT; USOCR	ADJ	ON	2008/04/22 18:33
S60	0	S58 and S59	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/04/22 18:33
S61	8	("20020005124" "20020141390" "20020173326" "6477150").PN.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/04/22 18:33
S62	0	S58 and S61	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/04/22 18:33
S63	780	(push-to-talk or ptt or p2t or push\$to\$talk or (push to talk)) with (over near3 cellular)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/04/22 18:33
S64	10	S58 and S63	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/04/22 18:33
S65	2	"20030227540".pn.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/04/22 20:33
S66	92	((SIP or (session initiation protocol)) or (IP Session Initiation Protocol)) with (subscrib\$3 or authenticat\$3 or register\$4) with (call\$3 same (pstn or post))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/04/22 20:46

S67	37	S66 and (@rlad<"20030717" or @ad<"20030717")	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/04/22 20:46
S68	66	((SIP or (session initiation protocol)) or (IP Session Initiation Protocol)) with ((dedicated or circuit\$switch \$3) near3 (call\$3 or communication))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/04/22 20:54
S69	31	S68 and (@rlad<"20030717" or @ad<"20030717")	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/04/22 20:54
S70	2	((SIP or (session initiation protocol)) or (IP Session Initiation Protocol)) with ((dedicated or circuit\$switch \$3) near3 (call\$3 or communication)) with (previous\$3 or before)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/04/22 20:57
S71	3	((SIP or (session initiation protocol)) or (IP Session Initiation Protocol)) with ((dedicated or circuit\$switch \$3) near3 (call\$3 or communication)) same (previous\$3 or before)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/04/22 20:58
S72	262	sip gateway	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/04/22 21:16
S73	0	(sip gateway) with expla\$6	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/04/22 21:17
S74	102	S72 and (@rlad<"20030717" or @ad<"20030717")	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/04/22 21:17
S75	0	(sip gateway) same ((previous\$3 or before) near2 connect\$4)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/04/22 21:18

S76	16	(sip gateway) and ((previous \$3 or before) near2 connect \$4)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/04/22 21:18
S77	8	S76 and (@lad<"20030717" or @ad<"20030717")	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/04/22 21:19
S78	79	S74 and (authenticat\$4 or regist\$5)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/04/22 21:26
S79	17	S74 and ((authenticat\$4 or regist\$5) near3 (first or step))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/04/22 21:27
S80	62	sip with (session near2 context)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/04/23 10:23
S81	0	sip with (session near2 context) with (pstn or pots)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/04/23 10:23
S82	0	(sip with (session near2 context)) same (pstn or pots)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/04/23 10:24
S83	0	(sip with (session near2 context)) same (dedicated or circuit\$7)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/04/23 10:24
S84	47	(sip with (session near2 context)) and (dedicated or circuit\$7)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/04/23 10:25
S85	2	(sip same (session near2 context)) same (dedicated or circuit\$7)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/04/23 10:25

S86	23	S84 and (@rlad<"20030717" or @ad<"20030717")	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/04/23 10:26
S87	901	(sip or "session initiation protocol") same (dedicated or circuit\$switch\$3)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/04/23 10:30
S88	366	(sip or "session initiation protocol") with (dedicated or circuit\$switch\$3)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/04/23 10:30
S89	168	S88 and (@rlad<"20030717" or @ad<"20030717")	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/04/23 10:30
S91	0	(sip or "session initiation protocol") with (dedicated or circuit\$switch\$3) with (before of previous\$3)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/04/23 10:31
S92	498	sip near2 set\$up	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/04/23 10:46
S93	13	(sip near2 set\$up) with (pstn or pots)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/04/23 10:47
S94	2	("6445910").PN.	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/04/23 18:09

4/ 24/ 2008 10:01:39 AM

C:\Documents and Settings\agonzalez\My Documents\EAST\Workspaces\10558838.wsp